

Indianapolis Division 6964 Hillsdale Ct. Indianapolis, IN 46250

Tel: (317) 842-4261 Fax: (317) 842-4286

## ANALYTICAL REPORT

Mr. Richard Tyler MILBANK MANUFACTORING INC 1400 E. HAVENS ST. KOKOMO, IN 56901-3188

04/28/1998

NET Job Number: 98.02709

Page 1 of 3

Enclosed are the Analytical Results for the following submitted to NET, Inc. Indianapolis Division for analysis:

Project Description: TWICE WEEKLY WASTEWATER

Sample Number Sample Description Date Taken

Date Received

205330

OUTFALL 001

04/21/1998

04/21/1998

National Environmental Testing, Inc. certifies that the analytical results contained herein apply only to the specific samples analyzed.

Reproduction of analytical report is permitted only this entirety.

Project Representative

Lon Barret

MAY - 4 1998

Indianapolis Division 6964 Hillsdale Ct. Indianapolis, IN 46250

Tel: (317) 842-4261 Fax: (317) 842-4286

## ANALYTICAL REPORT

Mr. Richard Tyler

MILBANK MANUFACTORING INC

1400 E. HAVENS ST.

KOKOMO, IN 56901-3188

04/28/1998

Job No.: 98.02709

Page 2 of 3

Date Received: 04/21/1998

Job Description: TWICE WEEKLY WASTEWATER

Sample Number /	Sample I.D.			Sample Date/	Analyst &	-	Reporting
Parameters		Result	Flaq	Units	Date Analyzed	Method	Limit
205330	OUTFALL 001			04/21/1998			
Iron, ICP		0.34		mg/L	tjg / 04/27/1998	E-200.7	<0.10
Lead, ICP		<0.080		mg/L	tjg / 04/27/1998	E-200.7	<0.080
Silver, ICP		<0.010		mg/L	tjg / 04/27/1998	E-200.7	<0.010
Zinc, ICP		3.5		mg/L	tjg / 04/27/1998	E-200.7	<0.020

Indianapolis Division 6964 Hillsdale Ct. Indianapolis, IN 46250 Tel: (317) 842-4261 Fax: (317) 842-4286

## FIELD REPORT

**JOB #:** 98.02709

CLIENT: MILBANK MFG.

PROJECT: TWICE WEEKLY WASTEWATER

**DATE:** 4/21/98 SAMPLER(S): MTM

An ISCO model 6700 auto sampler was used in the composite mode of operation. The sampler was equipped with a plastic composite jug, tygon suction line, battery, ice, and strainer.

All reusable equipment is decontaminated with alconox, tap water, 5% nitric acid, and deionized water. New tygon suction tubing was used for the sampler. A stainless steel strainer was also used for the sampling event.

The sampler was set to take a sample every 30 minutes for 24 hours.

Monitoring start 08:00 on 4/20/98 Monitoring end 08:00 on 4/21/98

The composite sample was slightly cloudy, pale yellow color.

Notes: Samples were preserved, in the field, in the appropriate containers with any required preservative.



		** TESTING, INC. COMPANY MILBANK ADDRESS 1400 E. HAVENS ST. KOKOM, IN										REPORT TO: KICHARO YUER							
PHONE												P.O. NO							
ML C	ED BY Lael AME)	Meyer	Muhe	sef	N	ley	<b>Y</b>				Ph		1-	ANAL	/SES			Is this work beir	
PRINT N	AME)		SIGNATURE	,			,	and Tontai	ype of ners				REPORT						ng conducted for regulatory tition? Yes No
	TIME	SAMPLE ID/DESCRIPTION		MATRIX	GRAB	COMP	NaOH LC	HNO <sub>3</sub>	H <sub>2</sub> SO <sub>4</sub>	ОТНЕВ	METALS: Fe	A.	E C					which regulatio	ns apply: RCRA NPDES Wastewater UST Drinking Water Other None
1998	4/21	OUTFALL DOI		لى	+	K		1			X	X	X				-		COMMENTS
4/00	1/20	OdiFace Oot		<u>ب</u>		+		+'			/	,							
																			MAY - 4 1998
						_		-											
						-	-	-								_			
					+	+	+	+							-	-	_		
					+	+	+	+											
					+	+	+	+											
						+													
					1														
COND	ITION O	OF SAMPLE: BOTTLES INTACT? FIELD FILTERED?	YES / NO				COC	SEA ATILE	LS F	RES	ENT OF H	AND EAD	INTA SPAC	CT2YES7 E? YES#	NO NO		Ē	EMPERATURE Sottles supplied	E UPON RECEIPT: 1,3 c
SAMP	E REM		NET TO DISP						EMAI	NDE	RS _				_			DATE	
M	ihai	anland 4/21/98 15"	RECEIVED	BY:							RE	ELINQU	JISHED	BY:		0 ا	F-21-9	\$ 1515	RECEIVED FOR NET BY:
METH	OD OF S	SНІРМЁМТ	REMAR	KS:													•	<u> </u>	• • •